

L Number	Hits	Search Text	DB	Time stamp
-	1220	709/219.ccls. and @ad<20000907	USPAT	2003/11/10 13:26
-	0	((communicat\$4 NEAR4 "DCOM") NEAR5 (connect\$4 NEAR4 adapter)	USPAT	2003/11/10 13:28
-	0	("DCOM") NEAR5 (connect\$4 NEAR4 adapter)	USPAT	2003/11/10 13:28
-	4	("DCOM") NEAR5 (connect\$4 NEAR10 adapter)	USPAT	2003/11/10 15:18
-	9596	(access\$4 or communicat\$4 or establish\$4)	USPAT	2003/11/10 15:33
-	200	NEAR5 client and @ad<20000907		
-	120	((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password))	USPAT	2003/11/10 15:30
-		((access\$4 or communicat\$4 or establish\$4) NEAR5 client and @ad<20000907) and ((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password))	USPAT	2003/11/10 15:25
-	43	((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password)) and adapter	USPAT	2003/11/10 15:25
-	43	((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password)) and adapter and ((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password)) and adapter and ((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password))	USPAT	2003/11/10 15:26
-	2	((external NEAR3 resource) NEAR5 access) and ((identification or identifier or username) NEAR5 password)	USPAT	2003/11/10 15:31
-	52	((external NEAR3 resource) NEAR5 access) and @ad<20000907	USPAT	2003/11/10 15:31
-	236	(access\$4 or communicat\$4 or establish\$4) NEAR5 (remote adj client) and @ad<20000907	USPAT	2003/11/10 15:36
-	1	((external NEAR3 resource) NEAR5 access) and @ad<20000907) and ((access\$4 or communicat\$4 or establish\$4) NEAR5 (remote adj client) and @ad<20000907)	USPAT	2003/11/10 15:35
-	3	((access\$4 or communicat\$4 or establish\$4) NEAR5 (remote adj client) and @ad<20000907) and (external NEAR3 resource)	USPAT	2003/11/10 15:36
-	8	(access\$4 or communicat\$4 or establish\$4) NEAR5 (remote adj client) NEAR4 device and @ad<20000907	USPAT	2003/11/10 15:38
-	10	((access\$4 or communicat\$4 or establish\$4) NEAR5 (peripheral or device or resource or scanner or drive)) NEAR5 (remote adj client) and @ad<20000907	USPAT	2003/11/10 16:02
-	23	("4654482" "4841132" "4866257" "4868375" "5288976" "5331547" "5483052" "5490217" "5600833" "5635694" "5640193" "5664231" "5717737" "5804803" "5870088" "5881230" "5905248" "5978773" "5987611" "6012102" "6041374" "6094689" "6144848").PN.	USPAT	2003/11/10 15:55
-	0	6507864.URPN.	USPAT	2003/11/10 16:02
-	6	(709/219.ccls. and @ad<20000907) and ((remote NEAR3 access) NEAR5 (peripheral or "SCSI" or external) and @ad<20000907)	USPAT	2003/11/10 16:03
-	128	((remote NEAR3 access) NEAR5 (peripheral or "SCSI" or external) and @ad<20000907	USPAT	2003/11/13 08:07
-	16	("5136695" "5410706" "5590315" "5604509" "5712978" "5721842" "5732212" "5764974" "5794239" "5825336" "6128731" "6230194" "6381700" "6393492" "6415289" "6442549").PN.	USPAT	2003/11/12 08:20
-	18	("5237693" "5317693" "5325527" "5548724" "5598538" "5659794" "5687320" "5790809" "5832298" "5862404" "5870562" "5901286" "5950203" "5991829" "5996024" "6003065" "6003133" "6101555").PN.	USPAT	2003/11/12 08:23
-	5	6327613.URPN.	USPAT	2003/11/12 09:15
-	11	6101555.URPN.	USPAT	2003/11/12 09:24

[Handwritten signature]
4/30/04

-	1	(shar\$4 NEAR5 (peripheral\$1 or device\$1 or "SCSI")) same ("DCOM") and @ad<20000907	USPAT	2003/11/12 09:57
-	36	(shar\$4 NEAR5 (peripheral\$1 or device\$1 or "SCSI")) and ("DCOM") and @ad<20000907	USPAT	2003/11/12 10:48
-	2582	(shar\$4 NEAR5 (peripheral\$1 or (external adj device\$1) or "SCSI")) and @ad<20000907	USPAT	2003/11/12 11:20
-	8	((shar\$4 NEAR5 (peripheral\$1 or (external adj device\$1) or "SCSI")) and @ad<20000907) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT	2003/11/12 10:55
-	6	(DCOM NEAR4 link) and @ad<20000907	USPAT	2003/11/12 11:12
-	0	(password NEAR5 DCOM) and @ad<20000907	USPAT	2003/11/12 11:13
-	0	((shar\$4 NEAR5 (peripheral\$1 or (external adj device\$1) or "SCSI")) and @ad<20000907) and (adapter NEAR20 "gui")	USPAT	2003/11/12 11:16
-	8	((shar\$4 NEAR5 (peripheral\$1 or (external adj device\$1) or "SCSI")) and @ad<20000907) and (adapter NEAR20 (user adj interface))	USPAT	2003/11/12 11:16
-	2485	(shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907	USPAT	2003/11/13 11:34
-	166	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and (adapter NEAR4 interface)	USPAT	2003/11/12 11:21
-	2	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and (adapter and (graphical adj interface))	USPAT	2003/11/12 11:22
-	16	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and 709/219.ccls.	USPAT	2003/11/12 11:22
-	4	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and (username NEAR3 password)	USPAT	2003/11/12 15:26
-	0	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and password) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT	2003/11/12 15:35
-	64	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and password	USPAT	2003/11/12 15:28
-	437	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907	USPAT	2003/11/12 15:35
-	135	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password	USPAT	2003/11/12 15:36
-	71	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and adapter\$1	USPAT	2003/11/12 15:41
-	38	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and (connect\$3 or communicat\$4) NEAR4 adapter\$1	USPAT	2003/11/12 15:37
-	33	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and adapter\$1) not (((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and (connect\$3 or communicat\$4) NEAR4 adapter\$1)	USPAT	2003/11/12 15:47
-	88	(remote\$3 NEAR5 access\$3) NEAR4 (peripheral\$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907	USPAT	2003/11/12 15:48
-	0	((remote\$3 NEAR5 access\$3) NEAR4 (peripheral\$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT; US-PGPUB	2003/11/12 15:49

-	93	(remote\$3 NEAR5 access\$3) NEAR4 (peripheral\$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907	USPAT; US-PGPUB	2003/11/12 15:49
-	1	(shar\$4 NEAR3 (peripheral\$1 or device\$1 or scanner or (external adj harddrive)) NEAR5 password) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:04
-	3	shar\$4 NEAR3 (peripheral\$1 or device\$1 or scanner or (external adj harddrive)) NEAR20 password and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:05
-	6	shar\$4 NEAR5 (peripheral\$1 or device\$1 or scanner or (external adj harddrive)) NEAR20 password and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:05
-	997	(remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:11
-	7	((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907) and (SCSI adj adapter)	USPAT; US-PGPUB	2003/11/13 08:11
-	54	((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907) and ((identification or username) NEAR4 password)	USPAT; US-PGPUB	2003/11/13 08:12
-	45	((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907) and ((identification or username) NEAR4 password)) and (icon or "gui" or interface)	USPAT; US-PGPUB	2003/11/13 08:12
-	27	(connection NEAR4 password) same (access NEAR4 password) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 10:34
-	11	multiple NEAR5 password NEAR8 enter	USPAT; US-PGPUB	2003/11/13 10:35
-	55	enter NEAR5 password NEAR4 twice	USPAT; US-PGPUB	2003/11/13 10:41
-	1	(double or twice) NEAR5 password NEAR4 protection	USPAT; US-PGPUB	2003/11/13 10:43
-	19	(multi NEAR4 level) NEAR5 password	USPAT; US-PGPUB	2003/11/13 10:59
-	0	reverifying NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:03
-	0	reverify NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	0	"re-verify" NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	0	recheck NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	698	verify NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	500	(verify NEAR5 password) and multiple	USPAT; US-PGPUB	2003/11/13 11:07
-	608	multiple NEAR5 verification	USPAT; US-PGPUB	2003/11/13 11:07
-	401	multiple NEAR3 verification	USPAT; US-PGPUB	2003/11/13 11:08
-	0	multiple NEAR3 verification NEAR3 password	USPAT; US-PGPUB	2003/11/13 11:08
-	73	(multiple NEAR3 verification) and password	USPAT; US-PGPUB	2003/11/13 11:10
-	185	"re-enter" NEAR4 password	USPAT; US-PGPUB	2003/11/13 11:10
-	2485	(shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907	USPAT	2003/11/13 11:35
-	1	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and (choos\$4 NEAR6 adapter)	USPAT	2003/11/13 11:35
-	47	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and ((choos\$4 or select\$3 or pick\$3) NEAR6 adapter)	USPAT	2003/11/13 11:37
-	1	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and ((choos\$4 or select\$3 or pick\$3) NEAR6 adapter)) and password	USPAT	2003/11/13 11:52
-	181	(local adj client) NEAR5 server	USPAT	2003/11/13 13:04
-	8	interface NEAR4 provid\$3 NEAR5 password	USPAT	2003/11/13 13:08
-	1167	display\$3 NEAR5 (username or password)	USPAT	2003/11/13 13:08

-	24	display\$3 NEAR5 (username or password) NEAR5 interface	USPAT	2003/11/13 13:11
-	18	display\$3 NEAR5 (username and password)	USPAT	2003/11/13 13:17
-	89	SCSI NEAR4 (inquiry NEAR5 command\$1)	USPAT	2003/11/13 13:18
-	5	(SCSI NEAR4 (inquiry NEAR5 command\$1)) and (remote NEAR4 (client or access))	USPAT	2003/11/13 13:23
-	8	icon NEAR4 (represent\$3 NEAR4 adapter)	USPAT	2003/11/13 14:02
-	0	(SCSI NEAR4 command\$1) NEAR20 DCOM	USPAT	2003/11/13 14:02
-	1084	(SCSI NEAR4 command\$1) and @ad<20000907	USPAT	2003/11/13 14:03
-	1	((SCSI NEAR4 command\$1) and @ad<20000907) and DCOM	USPAT	2003/11/13 14:03
-	12	dcom with (authentica\$3 or GUI) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 16:41
-	8	dcom with (authentica\$5 or login or logon or (access adj control)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:42
-	5	windows NEAR10 (login or logon or password) and (firewall NEAR5 (authentica\$5 or password)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:46
-	130	(login or logon or password) and (firewall NEAR5 (authentica\$5 or password)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:46
-	8	dcom with gui	USPAT; US-PGPUB	2003/11/17 15:02
-	291	dcom and gui	USPAT; US-PGPUB	2003/11/17 15:19
-	123	(dcom and gui) and @ad<20000907	USPAT; US-PGPUB	2003/11/17 15:03
-	123	DCOM and gui and @ad<20000907	USPAT; US-PGPUB	2003/11/17 15:19
-	1	6463459.pn.	USPAT; US-PGPUB	2003/11/17 15:20
-	9	gui with (login or logon or password) NEAR3 information and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:38
-	0	issu\$3 with (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:39
-	0	issu\$3 NEAR5 (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:39
-	0	issu\$3 NEAR15 (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	0	issu\$3 NEAR15 (logon or login or username or password) NEAR8 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	663	issu\$3 NEAR15 (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	718	issu\$3 with (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	345	issu\$3 NEAR3 (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 10:54
-	1	("6141686").PN.	USPAT; US-PGPUB	2004/04/30 08:17
-	1379	709/219.ccls. and @ad<20000907	USPAT; US-PGPUB	2004/04/30 08:17
-	119	(709/219.ccls. and @ad<20000907) and @pd>20031110	USPAT; US-PGPUB	2004/04/30 09:15
-	757	remote\$3 NEAR10 (SCSI or peripheral) NEAR8 (access\$3 or connect\$4)	USPAT; US-PGPUB	2004/04/30 09:16
-	865	remote\$3 NEAR10 (SCSI or peripheral) NEAR8 (access\$3 or connect\$4)	USPAT; US-PGPUB	2004/04/30 09:17
-	4	(remote\$3 NEAR10 (SCSI or peripheral) NEAR8 (access\$3 or connect\$4)) and DCOM	USPAT; US-PGPUB	2004/04/30 09:16
-	2722	access\$4 NEAR4 (remote NEAR3 (device or peripheral))	USPAT; US-PGPUB	2004/04/30 09:24
-	214	(access\$4 NEAR4 (remote NEAR3 (device or peripheral))) and SCSI	USPAT; US-PGPUB	2004/04/30 09:18
-	70	access\$4 NEAR4 (remote NEAR3 peripheral)	USPAT; US-PGPUB	2004/04/30 09:32

-	1	("6327613").PN.	USPAT; US-PGPUB	2004/04/30 09:32
---	---	-----------------	--------------------	------------------